

eoTM

Cobblestones
Flooring

THE SENSE OF COMING HOME

Cobblestones effortlessly recreate an old-world look and charm. They offer that distinctive homecoming sense of arrival as one leaves the road and returns to the sanctuary of home.

Cobblestone paving elements have been used in construction since the dawn of architecture and in modern architecture they provide an opportunity to add texture to a space whilst working within the existing colour palette.


Small modules provide flexibility and strength for curved areas and tight spaces while hard-wearing make-up and natural split finish of cobblestones ensures texture and grip, making them ideal for driveways. The subtle colour variation is incredibly forgiving in terms of marks and staining.




CLASSIC



Buffalo




Nile



Raven



Saldon



Tortoise

TUMBLED



Bluestone



Garonne



Jebel



Pendell



Ravello

A selection of high resolution 3D textures is available on our website.

SPLIT



Bokara



Endicott



Luca



Porphyry



Sesame



Silex

ANTIQUE



Elba



Mulhall




Clove



Elio

A selection of high resolution 3D textures is available on our website.

SIZES



For more downloadable imagery visit our website.

CLASSIC

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Buffalo, Raven & Tortoise		
4" x 4", 3/4" Split finish top and sides, sawn bottom	11	255ft ²
4" x 4", 1 1/4" Bush Hammered top surface, split sides, sawn bottom	14.9	213ft ²
4" x 4", 1 1/2" Split finish on all six sides	20.3	159ft ²
Nile		
4" x 4", 3/4"	10	224ft ²
4" x 4", 1 1/4" Exfoliated & brushed top surface, split sides, sawn bottom	15	184ft ²
Saldon		
4" x 4", 3/4"	10.5	307ft ²

<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Buffalo, Raven & Tortoise		
100x100mm, 20mm Split finish top and sides, sawn bottom	54	23.7m ²
100x100mm, 30mm Bush Hammered top surface, split sides, sawn bottom	73	19.75m ²
100x100mm, 40mm Split finish on all six sides	99	14.8m ²
Nile		
100x100mm, 20mm	49	20.8m ²
100x100mm, 30mm Exfoliated & brushed top surface, split sides, sawn bottom	73	17.13m ²
Saldon		
100x100mm, 18-20mm	52	28.5m ²
<i>All metric measurements are accurate. All imperial measurements are nominal.</i>		

Cobblestones are usually installed with a 10mm / 3/8" grout joint. These products are typically installed on a 25mm / 1" wet mortar bed over a concrete slab. Refer to installation tips for further information. Other surface textures and sizes are available on request. For further information, installation tips and pricing please contact us.

TUMBLED

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Bluestone		
4" x 4", 1 1/4"	11.8	251ft ²
4" x 4", 2"	19.6	123ft ²
Tumbled finish on all six sides		
Garonne & Pendell		
4" x 4", 5/8"	6.5	344ft ²
4" x 4", 1 1/2"	15.7	159ft ²
Tumbled finish on all six sides		
Jebel		
4" x 4", 3/4"	10.5	280ft ²
Ravello		
4" x 4", 3/8"	2.5	635ft ²

<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Bluestone		
100x100mm, 30mm	58	23.3m ²
100x100mm, 50mm	96	11.4m ²
Tumbled finish on all six sides		
Garonne & Pendell		
100x100mm, 15mm	32	32m ²
100x100mm, 37mm	77	14.8m ²
Tumbled finish on all six sides		
Jebel		
100x100mm, 20mm	51	26m ²
Ravello		
100x100mm, 10mm	12	59m ²

*All metric measurements are accurate.
All imperial measurements are nominal.*

Cobblestones are usually installed with a 10mm / 3/8" grout joint. These products are typically installed on a 25mm / 1" wet mortar bed over a concrete slab. Refer to installation tips for further information. Other surface textures and sizes are available on request. For further information, installation tips and pricing please contact us.

SPLIT

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Bokara		
4" x 4", 1 1/4"-2" Split finish on five sides	13.5	86ft ²
Random Lengths x 4"-6", 1 1/4"-2" Split finish on five sides	19	86ft ²
Endicott		
4" x 4", 5/8"-1 1/4"	10	159ft ²
4" x 4", 1 1/4"-2" Split finish on all six sides	18	86ft ²
Random Length 4" x 4"-8", 1 1/4"-2" Split finish on all six sides	20	108ft ²
Luca		
1 1/2"-2 1/2" x 1 1/2"-2 1/2", 1 1/2"-2 1/2" Split finish on all six sides	19.8	118ft ²
4" x 4", 1 1/2"-2 1/2" Split finish on all six sides	23	118ft ²
Porphyry		
1 1/2"-2 1/2" x 1 1/2"-2 1/2", 1 1/2"-2 1/2" Split finish on all six sides	20	129ft ²
4" x 4", 3/4"-1 1/2" Split finish on all six sides	14.3	178ft ²
Sesame & Silex		
4" x 4", 1 1/4" Split finish top surface half sawn, half chipped sides, sawn base	12.2	136ft ²

<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Bokara		
100x100mm, 30-50mm Split finish on five sides	66	8m ²
Random Lengths x 100-150mm, 30-50mm Split finish on five sides	94	8m ²
Endicott®		
100x100mm, 15-30mm	49	14.8m ²
100x100mm, 30-50mm Split finish on all six sides	89	8m ²
Random Lengths 100x100-200mm, 30-50mm Split finish on all six sides	100	10m ²
Luca		
40-60x40-60mm, 40-60mm Split finish on all six sides	97	11m ²
100x100mm, 40-60mm Split finish on all six sides	110	11m ²
Porphyry		
40-60x40-60mm, 40-60mm Split finish on all six sides	100	12m ²
100x100mm, 20-40mm Split finish on all six sides	70	16.5m ²
Sesame & Silex		
100x100mm, 30mm Split finish top surface half sawn, half chipped sides, sawn base	60	12.59m ²

*All metric measurements are accurate.
All imperial measurements are nominal.*

Cobblestones are usually installed with a 10mm / 3/8" grout joint. These products are typically installed on a 25mm / 1" wet mortar bed over a concrete slab. Refer to installation tips for further information. Other surface textures and sizes are available on request. For further information, installation tips and pricing please contact us.

ANTIQUÉ

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Elba & Mulhall		
Random Lengths 5"-8"	14	118ft ² (1x118ft ²)
Random Widths 5"-8"		
Random Thickness 1 ¼"-2 ¼"		
Clove		
Random Lengths 5"-8"	22	118ft ² (1x118ft ²)
Random Widths 5"-8"		
Random Thickness 1 ¼"-2 ¼"		
Elio		
Random Lengths 4"-12"	17	86ft ² (1x86ft ²)
Random Widths 4"-12"		
Random Thickness 1 ¼"-2 ¼"		

<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Elba & Mulhall		
Random Lengths 120-200mm	70	11m ² (1x11m ²)
Random Widths 120-200mm		
Random Thickness 30-60mm		
Clove		
Random Lengths 120-200mm	105	11m ² (1x11m ²)
Random Widths 120-200mm		
Random Thickness 30-60mm		
Elio		
Random Lengths 100-300mm	83	8m ² (1x8m ²)
Random Widths 100-300mm		
Random Thickness 30-60mm		

*All metric measurements are accurate.
All imperial measurements are nominal.*

Cobblestones are usually installed with a 10mm / ¾" grout joint. These products are typically installed on a 25mm / 1" wet mortar bed over a concrete slab. Refer to installation tips for further information. Other surface textures and sizes are available on request. For further information, installation tips and pricing please contact us.