



Limestone
Flooring

NATURAL TIMELESS APPEAL

Most of our limestone range has subtle colour movement and tonal change and particular shades can be pulled out and coordinated with the associated architecture with ease. Our limestones are sourced from across the globe so our range of tiles presents varying colours and textures.

All the pavers and tiles in our limestone range are ideal for use internally and externally for residential and commercial projects alike. Limestone is an ideal material to create a seamless transition from inside to out.

Even newly laid stones feel as if they've been there forever. The texture and density of limestone makes it ideal for many outdoor surfaces such as pools and stairs.

Stone can be left in its raw state or it can be polished to varying degrees depending on the application. Saw-cut stone has a rough finish and is most appropriate for exterior features in garden and landscape design.





Andorra



Arbon



Calcetta



Chalford



Colmar



Dover



Duro



Garonne




La Roche



Linton



Nettle



Rhone



Sarelle




Sonoma



Vella & Selene




Winbourne




Wyndam

A selection of high resolution 3D textures is available on our website.

Tiles




Cobblestones




Coping / Step Tread


Square Edge



Rebated Square Edge



Tumbled



For more downloadable imagery visit our website.

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Andorra		
Tiles		
3" x 16", ¾"	11	178ft ²
24" x 36", ¾"	11	300ft ²
Coping / Step Tread		
16" x 36", 1 ¼"	66	31 units
16" x 36", 2"	103	20 units
Rebated Square Edge 16" x 36", 1 ¼" body, 3" face	75	17 units
Arbon		
Tiles		
Modular 10"-30", ⅝"	8	274ft ²
20" x 30", ⅝"	8	284ft ²
Coping / Step Tread		
16" x 30", 1 ¼"	53	34 units
16" x 30", 2"	97	20 units
Calcetta		
Tiles		
Random lengths 24" x 16"-36", ¾"	10	269ft ²
Coping / Step Tread		
16" x 36", 1 ¼"	66	33 units
16" x 36", 2"	99	20 units
Chalford		
Tiles		
Random lengths 24" x 16"-36", ¾"	11	269ft ²
Coping / Step Tread		
16" x 36", 1 ¼"	66	33 units
16" x 36", 2"	103	20 units

<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Andorra		
Tiles		
74x406mm, 19mm	55	16.52m ²
610x915mm, 19mm	55	27.9m ²
Coping / Step Tread		
406x915mm, 35mm	30	33 units
406x915mm, 50mm	47	20 units
Rebated Square Edge 406x915mm, 30mm body, 75mm face	34	17 units
Arbon		
Tiles		
Modular 252-764mm, 15mm	40	25.5m ²
508x764mm, 15mm	40	26.39m ²
Coping / Step Tread		
406x764mm, 30mm	24	34 units
406x764mm, 50mm	44	20 units
Calcetta		
Tiles		
Random lengths 610x406-915mm, 19mm	50	25m ²
Coping / Step Tread		
406x915mm, 30mm	30	33 units
406x915mm, 50mm	45	20 units
Chalford		
Tiles		
Random lengths 610x406-915mm, 19-21mm	55	25m ²
Coping / Step Tread		
406x915mm, 30mm	30	33 units
406x915mm, 50mm	47	20 units

*All metric measurements are accurate.
All imperial measurements are nominal.*

Modular pattern tiles come in pre-mixed crates. Tiles are ideally best laid on a tile adhesive over a concrete slab. 605x400mm (24" x 16") and 764x500mm (30" x 20") tiles can be cut on-site for use as vertical risers when installing step treads. For further information, installation tips and pricing please contact us.

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Colmar		
Tiles		
24" x 36", ¾"	10	264ft ²
Coping / Step Tread		
16" x 36", 1 ½"	73	31 units
16" x 36", 2"	106	22 units
Rebated Square Edge 16" x 36", 1 ¼" body, 3" face	73	20 units
Dover		
Tiles		
Random lengths		
16" x 16"-40", ¾"	10	192ft ²
16" x 32", ¾"	10	195ft ²
Coping / Step Tread		
16" x 32", 1 ¼"	61	33 units
16" x 32", 2"	101	22 units
Duro		
Tiles		
16" x 24", ¾"	11	267ft ²
24" x 24", ¾"	11	200ft ²
24" x 36", ¾"	11	300ft ²
Coping / Step Tread		
16" x 24", 1 ¼"	42	66 units
16" x 36", 1 ¼"	64	34 units
16" x 36", 2"	110	20 units
Rebated Square Edge 16" x 36", 1 ¼" body, 3" face	75	19 units

<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Colmar		
Tiles		
610x915mm, 20mm	52	24.56m ²
Coping / Step Tread		
406x915mm, 35mm	33	31 units
406x915mm, 50mm	48	22 units
Rebated Square Edge 406x915mm, 30mm body, 75mm face	33	20 units
Dover		
Tiles		
Random lengths		
406x406-1016mm, 18mm	50	17.8m ²
406x812mm, 18mm	50	18.08m ²
Coping / Step Tread		
406x812mm, 30mm	27.5	33 units
406x812mm, 50mm	46	22 units
Duro		
Tiles		
406x610mm, 20mm	53	24.8m ²
610x610mm, 20mm	53	18.6m ²
610x915mm, 20mm	53	27.9m ²
Coping / Step Tread		
406x610mm, 30mm	19	66 units
406x915mm, 30mm	29	34 units
406x915mm, 50mm	50	20 units
Rebated Square Edge 406x915mm, 30mm body, 75mm face	34	19 units

*All metric measurements are accurate.
All imperial measurements are nominal.*

Modular pattern tiles come in pre-mixed crates. Tiles are ideally best laid on a tile adhesive over a concrete slab. 605x400mm (24" x 16") and 764x500mm (30" x 20") tiles can be cut on-site for use as vertical risers when installing step treads. For further information, installation tips and pricing please contact us.

Imperial *Weight* *Packing Details*
(lbs/UOM) (UOM/crate)

Garonne

Tiles

Modular 12"-36", 5/8"	8	234ft ²
16" x 32", 3/4"	11	177ft ²
32" x 32", 3/4"	11	284ft ²
Random lengths		
16" x 16"/24"/32", 5/8"	8	217ft ²
24" x 24"/36"/40", 5/8"	8	232ft ²

Coping / Step Tread

16" x 32", 1 1/4"	55	34 units
16" x 32", 2"	103	20 units
16" x 36", 1 1/4"	64	37 units
16" x 36", 2"	117	22 units
Large Step Tread		
14" x 40", 6" (Antique)	271	7 units
14" x 40", 6" (Tumbled)	271	7 units
Rebated Square Edge		
16" x 32", 1 1/4" body, 3" face	60	18 units

La Roche

Tiles

Modular 8"-24", 3/4"	11	248ft ²
24" x 36", 3/4"	11	291ft ²

Coping / Step Tread

16" x 24", 1 1/4"	43	50 units
16" x 36", 1 1/4"	64	33 units
16" x 36", 2"	106	33 units

Linton

Tiles

Random lengths		
16" x 16"-36", 3/4"	10	184ft ²
16" x 32", 3/4"	10	195ft ²

Coping / Step Tread

16" x 32", 1 1/4"	60	33 units
16" x 32", 2"	95	22 units

Metric *Weight* *Packing Details*
(kg/UOM) (UOM/crate)

Garonne

Tiles

Modular 303-917mm, 15mm	39	21.74m ²
406x812mm, 20mm	55	16.48m ²
812x812mm, 20mm	55	26.37m ²
Random lengths		
406x406/610/810mm, 15mm	39	20.18m ²
610x610/915/1016mm, 15mm	39	21.56m ²

Coping / Step Tread

406x812mm, 30mm	25	34 units
406x812mm, 50mm	47	20 units
406x915mm, 30mm	29	37 units
406x915mm, 50mm	53	22 units
Large Step Tread		
350x1016mm, 150mm (Antique)	123	7 units
350x1016mm, 150mm (Tumbled)	123	7 units
Rebated Square Edge		
406x812mm, 30mm body, 75mm face	27	18 units

La Roche

Tiles

Modular 203-610mm, 20mm	54	23m ²
610x915mm, 20mm	54	27m ²

Coping / Step Tread

406x610mm, 30mm	19.5	50 units
406x915mm, 30mm	29	33 units
406x915mm, 50mm	48	33 units

Linton

Tiles

Random lengths		
406x406-915mm, 18mm	50	17.06m ²
406x812mm, 18mm	50	18.13m ²

Coping / Step Tread

406x812mm, 30mm	27	33 units
406x812mm, 50mm	43	22 units

*All metric measurements are accurate.
All imperial measurements are nominal.*

Modular pattern tiles come in pre-mixed crates. Tiles are ideally best laid on a tile adhesive over a concrete slab. 605x400mm (24" x 16") and 764x500mm (30" x 20") tiles can be cut on-site for use as vertical risers when installing step treads. For further information, installation tips and pricing please contact us.

<i>Imperial</i>	<i>Weight (lbs/UOM)</i>	<i>Packing Details (UOM/crate)</i>	<i>Metric</i>	<i>Weight (kg/UOM)</i>	<i>Packing Details (UOM/crate)</i>
Nettle					
Tiles					
Random lengths 20" x 20"-36", ¾"	12	225 (3x75ft²)	500x508-915mm, 20mm	60	21 (3x7m²)
Coping / Step Tread					
16" x 36", 1 ¼"	64	36 units	406x915mm, 30mm	29	36 units
16" x 36", 2"	106	20 units	406x915mm, 50mm	48	20 units
Rhone					
Tiles					
Random lengths 16" x 16"-32", ¾"	12.5	210ft²	406x406-812mm, 20mm	61	19.5m²
16" x 32", ¾"	12.5	178ft²	406x812mm, 20mm	61	16.5m²
Coping / Step Tread					
16" x 32", 1 ¼"	57	30 units	406x812mm, 30mm	26	30 units
16" x 32", 2"	106	8 units	406x812mm, 50mm	48	8 units
Sarelle					
Tiles					
Random lengths 16" x 16"-36", ¾"	10	184ft²	406x406-915mm, 18mm	50	17.06m²
16" x 32", ¾"	10	195ft²	406x812mm, 18mm	50	18.13m²
Coping / Step Tread					
16" x 32", 1 ¼"	60	33 units	406x812mm, 30mm	27	33 units
16" x 32", 2"	95	22 units	406x812mm, 50mm	43	22 units
Sonoma					
Tiles					
Modular 9 ¾"-29 ½", ¾"	10	218ft²	Modular 248-752mm, 19mm	49	20.25m²
Random lengths 16"/19" x 16"-36", ¾"	10	269ft²	406/500x406-915mm, 19mm	49	25m²
Coping / Step Tread					
16" x 29 ½", 1 ¼"	53	33 units	406x752mm, 30mm	24	33 units
16" x 29 ½", 2"	88	20 units	406x752mm, 50mm	40	20 units
<i>All metric measurements are accurate. All imperial measurements are nominal.</i>					

Modular pattern tiles come in pre-mixed crates. Tiles are ideally best laid on a tile adhesive over a concrete slab. 605x400mm (24" x 16") and 764x500mm (30" x 20") tiles can be cut on-site for use as vertical risers when installing step treads. For further information, installation tips and pricing please contact us.

Imperial *Weight* *Packing Details*
(lbs/UOM) (UOM/crate)

Vella & Selene

Tiles

8" x 8", ¾" 4.4 730
(9.8lbs per ft²) (24 tiles per 11ft²)

Vella and Selene are sold by individual tile units (24 tiles per 11ft²). This allows you to customise your pattern and border.

Winbourne

Tiles

Random lengths
16" x 16"-32", ¾" 11 129 (2x64.5ft²)
16" x 24"-36", ¾" 11 233ft²

Coping / Step Tread

16" x 36", 1 ¼" 66 34 units
16" x 36", 2" 110 20 units

Wyndam

Tiles

Random lengths
8"/12"/16" x 12"-32", ¾" 10 269ft²
24" x 24"-48", ¾" 10 269ft²

Coping / Step Tread

16" x 40", 1 ¼" 77 33 units
16" x 40", 2" 128 20 units
Rebated Square Edge
16" x 40", 1 ¼" body, 3" face 81 17 units

Metric *Weight* *Packing Details*
(kg/UOM) (UOM/crate)

Vella & Selene

Tiles

203x203mm, 20mm 2 730
(48kg per m²) (24 units per m²)

Vella and Selene are sold by individual tile units (24 tiles per m²). This allows you to customise your pattern and border.

Winbourne

Tiles

Random lengths
406x406-812mm, 20mm 56 12 (2x6m²)
610x610-915mm, 20mm 56 21.68m²

Coping / Step Tread

406x915mm, 30mm 30 34 units
406x915mm, 50mm 50 20 units

Wyndam

Tiles

Random lengths
203/305/406x300-800mm, 18-19mm 50 25m²
610x610-1220mm, 19mm 50 25m²

Coping / Step Tread

406x1016mm, 30mm 35 33 units
406x1016mm, 50mm 58 20 units
Rebated Square Edge
406x1016mm, 30 body, 75mm face 37 17 units

*All metric measurements are accurate.
All imperial measurements are nominal.*

Modular pattern tiles come in pre-mixed crates. Tiles are ideally best laid on a tile adhesive over a concrete slab. 605x400mm (24" x 16") and 764x500mm (30" x 20") tiles can be cut on-site for use as vertical risers when installing step treads. For further information, installation tips and pricing please contact us.




Arbon, Garonne, La Roche, Sonoma

Small Modular Pattern

Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed. This pattern can be interlocked from all sides.

For a download of this pattern refer to website. For further information, installation tips and pricing please contact us.



For more downloadable imagery visit our website.