

---

# SANDSTONE

FLOORING

---

**ECO OUTDOOR®**

FLOORING • WALLING • FURNITURE

LOS ANGELES · SAN FRANCISCO  
ECOOUTDOORUSA.COM



## GENTLE & TACTILE UNDERFOOT

Sandstone is a classic building material that has been used in construction since prehistoric times. Our sandstone flooring options present an aged, distressed hand finish for a tactile feel underfoot.

The sedimentary layers of sandstone pavers present a unique and varied color profile which can be very forgiving as the natural material ages and adds to the individual personality of each paver.

Our Sandstone range complements both traditional and modern designs and are developed to bring out their natural color tones and character.






Beauford



Brannon



Bullen



Camelhaas



Osprey



Toolara

—

A selection of high resolution 3D textures is available at [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)




- 
1. Beauford and Toolara pool coping
  2. Sandstone steppers
  3. Beauford
  4. Osprey
-

## SIZES

---

### Tiles


---



### Coping / Step Tread


---

Heavily Distressed



### Crazy Paving

---



—  
For more downloadable imagery visit [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)

<i>Imperial</i>	<i>Weight (lbm/sq ft)</i>	<i>Packing Details (ft<sup>2</sup>/crate)</i>	<i>Metric</i>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Beauford</b>					
<b>Random Lengths</b>					
16"-36" x 16"/20", ¾"	10.24	193.75	400-900x406/500mm, 19-22mm	50	18
<b>Coping / Step Tread</b>					
Heavily Distressed 36" x 16", 1 ¼"	16.39	33 units	Heavily Distressed 900x406mm, 30mm	80	33 units
<b>Brannon, Bullen &amp; Osprey</b>					
<b>Irregular crazy paving, 1 ¼"</b>					
	15.36		Irregular crazy paving, 30mm	75	
<b>Modular 10"-30", 1 ¼"</b>					
	15.36		Modular 252-764mm, 30mm	75	
<b>Camelhaas</b>					
<b>Tiles</b>					
Modular 10 ½"-32", ¾"	10.24	213.13	Modular 271-817mm, 19-21mm	50	19.8
<b>Coping / Step Tread</b>					
32" x 16" x 1 ¼"	6.14		817x406mm, 30mm	30	
<b>Toolara</b>					
<b>Random Lengths</b>					
16"-36" x 24", ¾"	10.24	193.75	400-900x600mm, 18mm	50	18
<b>Coping / Step Tread</b>					
Heavily Distressed 36" x 16", 1 ¼"	17.20	33 units	Heavily Distressed 900x400mm, 30mm	84	33 units
<i>All metric measurements are accurate. All imperial measurements are nominal.</i>					

The nature of sandstone offers a natural color variation in both shade and pattern.  
For further information, installation tips and pricing please contact us on (855) 413 1413.

## Brannon, Bullen, Osprey

### Small Modular Pattern




Ratio	Sizes
4	A
2	B
4	C
2	D

Individual stone sizes vary. Lay pattern applies to all modular stones listed.

This pattern can be interlocked from all sides.

For a download of this pattern refer to the website.

For further information, installation tips and pricing please contact us on (855) 413 1413.



—  
For more downloadable imagery visit [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)