

eoTM

Technifirma
Flooring

STRENGTH & DURABILITY PROVIDE EXCEPTIONAL VERSATILITY

Born out of the need for a versatile, yet consistently supplied material suitable for a broad spectrum of use, the Technifirma range is an ideal product for the most demanding of environments.

Utilising market leading technology, this range of products has homogenous performance characteristics (consistent modulus of rupture), while still maintaining variability in texture and tone similar to natural stone.


This range is extremely strong, has low water absorption characteristics, is non slip and is very easy to maintain.

Available in a range of large format sizes Technifirma is a great complement to Eco Outdoor's extensive natural stone offer.






Ambrose



Arrowmill



Ashchalk



Culver



Firn



Harkfell



Knightrider



Lido



Mrs Char



Novara



Palma



Pegasus



Rainford



Riverdance




Rivet



Shuttle Fleck




Skywalk



Stardust



Thistledown






Wavelet

Ask us about high resolution 3D textures.

SIZES

Tiles



For more downloadable imagery visit our website.

	Imperial			Metric			Slip Resistance		
	Sizing	Weight per UOM per UOM (lbs) crate		Sizing	Weight per UOM (kg) UOM per crate		Wet Pendulum Classification	Wet Pendulum Mean BPN/ SRV	Oil-wet Ramp
Ambrose	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/8**	4	542.5	1198x598mm, 9mm*	21	50.4		46	R11
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11
Arrowmill	6" x 24", 3/8"	4	542.5	598x148mm, 9mm	21	50.4	P2	25	R9
	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P2	25	R9
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	57	R11
	17 1/2" x 36", 3/4"	9	235.4	898x448mm, 20mm	46	21.9	P5	57	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4	P2	25	R9
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2	P5	57	R11
Ashchalk	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	271.3	798x798mm, 20mm	46	26.9			
Culver	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	24" x 47 1/4", 3/8**	4	542.5	1198x598mm, 9mm*	21	50.4		53	R10
	24" x 47 1/4", 3/8**	4	542.5	1198x598mm, 9mm*	21	50.4		46	R11
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11
Firn	24"x47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	12"x47 1/4", 3/4"	9	279.0	1198x298mm, 20mm	46	25.9		46	R11
Harkfell	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	65	R11
	36" x 36", 3/4"	9	156.9	898x898mm, 20mm	46	14.6			
Knightrider	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	21	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	271.3	798x798mm, 20mm	46	26.9			
Lido	24" x 36", 3/4"	9	279.0	901x600mm, 20mm	46	25.9			R11
Mrs Char	24" x 24", 3/4"	9	248.0	596x596mm, 20mm	46	23.0			R11
	24" x 47", 3/4"	9	271.3	1197x596mm, 20mm	46	25.2			
Novara	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	271.3	798x798mm, 20mm	46	26.9			
Palma	6" x 24", 3/8"	4	542.5	598x148mm, 9mm	21	50.4	P2	25	R11
	24" x 47 1/4", 3/8"	9	542.5	1198x598mm, 9mm	21	50.4			
Pegasus	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P4	53	R11
	36" x 36", 3/4"	9	157.2	898x898mm, 20mm	46	14.6			
Rainford	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	36" x 36", 3/4"	9	156.9	898x898mm, 20mm	46	14.6			
Riverdance	24" x 24", 3/4"	9	232.5	596x596mm, 20mm	46	21.6			R11
	24" x 47", 3/4"	9	271.3	1197x596mm, 20mm	46	25.2			
Rivet	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/8**	4	542.5	1198x598mm, 9mm*	21	50.4		46	R11
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11

*Ambrose, Culver, and Rivet 1198x598x9mm offered in two finishes: textured & natural.

All metric measurements are accurate. All imperial measurements are nominal.

Given the high level of dimensional accuracy, typically these tiles can be laid with a suitable tile adhesive / thin set bed.

Refer to installation tips for further information. For further information, installation tips and pricing please contact us.

	Imperial			Metric			Slip Resistance		
	Sizing	Weight per UOM (lbs)	UOM per crate	Sizing	Weight per UOM (kg)	UOM per crate	Wet Pendulum Classification	Wet Pendulum Mean BPN/SRV	Oil-wet Ramp
Shuttle Fleck	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9			
Skywalk	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P4	53	R11
	36" x 36", 3/4"	9	157.2	898x898mm, 20mm	46	14.6			
Stardust	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P4	53	R11
	36" x 36", 3/4"	9	157.2	898x898mm, 20mm	46	14.6			
Thistledown	12" x 24", 3/8"	4	542.5	598x298mm, 9mm	21	50.4	P4	53	R10
	12" x 47 1/4", 3/4"	9	279.0	1198x298mm, 20mm	46	25.9		46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/4"	4	271.3	1198x598mm, 20mm	46	25.2		46	R11
Wavelet	12" x 24", 3/8"	4	542.5	598x298mm, 9mm	21	50.4	P4	53	R10
	12" x 47 1/4", 3/4"	9	279.0	1198x298mm, 20mm	46	25.9		46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11

Technifirma porcelain tiles will have tonal variation due to the blends of kaolin, feldspars and clay. The tiles will have the same principal tone of the sample, but batch and shade variation is to be expected and is considered normal for any porcelain tile. In addition to this, each single product range has an array of digital prints, allowing them to look as close to natural stone as possible.

If you require the entire product order to come from a single batch, please discuss this at order confirmation. We can ensure your order is produced from the same batch if agreed upon at the time of order confirmation only *1. Please allow time to accommodate this production *2. Please note, different sizes of the same product range can not be manufactured in the same batch.

*1 We are unable to guarantee a single batch after the order has been confirmed. A new order can be placed if you require a single batch, in which there will be an extended lead time.

*2 We estimate sixteen weeks will be required, including production and overseas shipment. This is an only estimate and is without unforeseen delays.




For further information, installation tips and pricing, please call a showroom*Ambrose, Culver, and Rivet 1198x598x9mm offered in two finishes: textured & natural. All metric measurements are accurate. All imperial measurements are nominal.

Given the high level of dimensional accuracy, typically these tiles can be laid with a suitable tile adhesive / thin set bed.

Refer to installation tips for further information. For further information, installation tips and pricing please contact us.

SIZES

Tiles



	<i>Imperial</i>			<i>Metric</i>			<i>Slip Resistance</i>		
	<i>Sizing</i>	<i>Weight per UOM per UOM (lbs) crate</i>	<i>UOM per crate</i>	<i>Sizing</i>	<i>Weight per UOM (kg)</i>	<i>UOM per crate</i>	<i>Wet Pendulum Classification</i>	<i>Wet Pendulum Mean BPN/SRV</i>	<i>Oil-wet Ramp</i>
Ambrose	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11
Arrowmill	6" x 24", 3/8"	4	542.5	598x148mm, 9mm	21	50.4	P2	25	R9
	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P2	25	R9
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	57	R11
	17 1/2" x 36", 3/4"	9	235.4	898x448mm, 20mm	46	21.9	P5	57	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4	P2	25	R9
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2	P5	57	R11
Ashchalk	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	271.3	798x798mm, 20mm	46	26.9			
Chimney Sweep	24" x 24", 3/4"	9	232.5	596x596mm, 20mm	46	21.6			R11
Culver	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	24" x 47 1/4", 3/8**	4	542.5	1198x598mm, 9mm*	21	50.4		53	R10
	24" x 47 1/4", 3/8**	4	542.5	1198x598mm, 9mm*	21	50.4		46	R11
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11
Harkfell	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	65	R11
	36" x 36", 3/4"	9	156.9	898x898mm, 20mm	46	14.6			
Knight rider	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	21	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	271.3	798x798mm, 20mm	46	26.9			
Lido	24" x 36", 3/4"	9	279.0	901x600mm, 20mm	46	25.9			R11
Mrs Char	24" x 24", 3/4"	9	248.0	596x596mm, 20mm	46	23.0			R11
	24" x 47", 3/4"	9	271.3	1197x596mm, 20mm	46	25.2			
Muddled Crow	24" x 24", 3/4"	9	232.5	596x596mm, 20mm	46	21.6			R11
	24" x 47", 3/4"	9	271.3	1197x596mm, 20mm	46	25.2			
Novara	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	271.3	798x798mm, 20mm	46	26.9			
Palma	6" x 24", 3/8"	4	542.5	598x148mm, 9mm	21	50.4	P2	25	R11
	24" x 47 1/4", 3/8"	9	542.5	1198x598mm, 9mm	21	50.4			
Pegasus	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P4	53	R11
	36" x 36", 3/4"	9	157.2	898x898mm, 20mm	46	14.6			
Rainford	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	36" x 36", 3/4"	9	156.9	898x898mm, 20mm	46	14.6			
Riverdance	24" x 24", 3/4"	9	232.5	596x596mm, 20mm	46	21.6			R11
	24" x 47", 3/4"	9	271.3	1197x596mm, 20mm	46	25.2			
Rivet	24" x 24", 3/8"	4	465.0	598x598mm, 9mm	21	43.2	P4	53	R10
	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6		46	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9		46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11
Shuttle Fleck	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P5	56	R11
	31 1/2" x 31 1/2", 3/4"	9	289.3	798x798mm, 20mm	46	26.9			
Skywalk	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P4	53	R11
	36" x 36", 3/4"	9	157.2	898x898mm, 20mm	46	14.6			
Stardust	24" x 24", 3/4"	9	232.5	598x598mm, 20mm	46	21.6	P4	53	R11
	36" x 36", 3/4"	9	157.2	898x898mm, 20mm	46	14.6			
Thistledown	12" x 47 1/4", 3/4"	9	279.0	1198x298mm, 20mm	46	25.9	P4	46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/4"	4	271.3	1198x598mm, 20mm	46	25.2		46	R11
Wavelet	12" x 47 1/4", 3/4"	9	279.0	1198x298mm, 20mm	46	25.9	P4	46	R11
	24" x 47 1/4", 3/8"	4	542.5	1198x598mm, 9mm	21	50.4		53	R10
	24" x 47 1/4", 3/4"	9	271.3	1198x598mm, 20mm	46	25.2		46	R11

* Note two Culver 1198x598x9mm on offer with different finishes: R10 and R11

All metric measurements are accurate. All imperial measurements are nominal.

Given the high level of dimensional accuracy, typically these tiles can be laid with a suitable tile adhesive / thin set bed.

Refer to installation tips for further information. For further information, installation tips and pricing please contact us.