
PORPHYRY

FLOORING

ECO OUTDOOR®

FLOORING • WALLING • FURNITURE

LOS ANGELES • SAN FRANCISCO
T. (855) 413 1413 ECOOUTDOORUSA.COM

UNRIVALLED DURABILITY

A stone hailed since ancient times for its durability and aesthetic appeal, iconic architects such as Harry Seidler and Renzo Piano continue to utilize porphyry as one of their favorite materials.


Porphyry has a superior structural matrix for exceptional strength. This, coupled with the irregular-shaped pieces we offer, make Porphyry ideal for Cobblestones, Filetti and Crazy Paving flooring options. Typically, porphyry is not quarried in large blocks like granite but instead sheers off and has a natural split finish which is inherently non-slip, making it an ideal product for commercial applications.

Eco Outdoor's Porphyry range features varying colors resulting in beautiful tones of red, grey and gold that differ from piece to piece and therefore are extremely forgiving, requiring minimal maintenance.





Baguette




Cobblestones



Crazy Paving



Filetti



Random Lengths



Split Pebbles

—


A selection of high resolution 3D textures is available at www.ecooutdoorusa.com




-
1. Split Pebbles
 2. Random Length + Cobbles
 3. Porphyry Filetti
 4. Baguette
-

SIZES


Cobblestones




Random Lengths




Crazy Paving




Split Pebbles



Filetti



Baguette



—
For more downloadable imagery visit www.ecooutdoorusa.com

<i>Imperial</i>	<i>Weight (lbs/sq ft)</i>	<i>Packing Details (ft²/crate)</i>	<i>Metric</i>	<i>Weight (kg/m²)</i>	<i>Packing Details (m²/crate)</i>
Porphyry			Porphyry		
Cobbles			Cobbles		
1 1/2"-2 1/2" x 1 1/2"-2 1/2", 1 1/2"-2 1/2"	20.4	129.17	40-60x40-60mm, 40-60mm	100	12
4" x 4", 3/4"-1 1/2"	16.39	177.6	100x100mm, 20-40mm	80	16.5
Random Lengths			Random Lengths		
6" x 6"-11 3/4", 3/4"-1 1/4"	14.34	215.3	150x150-300mm, 20-30mm	70	20
Crazy Paving Flagstone			Crazy Paving		
Various sizes, 3/4"-1 1/2"	14.34	172.22	Various sizes, 20-40mm	70	16
Split Pebbles			Split Pebbles		
Various sizes, 2 1/2"-3 1/4"			Various sizes, 60-80mm		
Filetti			Filetti		
Various sizes, width 1 1/4"-3 1/4", thickness 1 1/4"-2"	22.53	118.40	Various sizes, width 30-80mm, thickness 30-50mm	110	11
Baguette			Baguette		
Various sizes, length 6"-16", width 4"-4 3/4", thickness 2"-3 1/4"	26.6	107.6	Various sizes, length 150-400mm, width 100-120, thickness 50-80mm	130	10
Step Tread			Step Tread		
13 3/4" x 23 1/2", 1 1/4"-1 1/2"	20.48	67 units	350x600mm, 30-40mm	100	67 units
<i>All metric measurements are accurate. All imperial measurements are nominal.</i>					

Weight for 3/4"-1 1/2" cobbles and crazy paving is approximately 15lbs/sq ft.

Given porphyry has variation in thickness this product should ideally be laid on a 1" wet mortar / thick set bed over a concrete slab.

Given Filetti stones have variations in thickness, these products should ideally be laid on a 1 1/4" wet mortar / thick set bed over a concrete slab.

Refer to installation tips for further information.

Other random length tiles sizes can be produced on request.

For further information, installation tips and pricing please contact us on (855) 413 1413.