

---

# SPLIT STONE

FLOORING

---

**ECO OUTDOOR®**

FLOORING • WALLING • FURNITURE

LOS ANGELES • SAN FRANCISCO  
T. (855) 413 1413 [ECOOUTDOORUSA.COM](http://ECOOUTDOORUSA.COM)

## WORKING WITH THE STRATIFICATION LAYERS

For our Split Stone range of products, we follow the stratification layers and work with the natural formation of the stone. The material is hand-split, revealing these natural layers to unearth the terra history of each individual stone and show the appeal of the raw material.


Following the stratification layer brings greater strength through compaction as well as a flat, non-slip, surface - making it ideal for use around pools and on pathways or driveways. Having a thin profile, these products can be used in many situations, especially where depth of tile is an issue such as balconies or when renovating an interior where there is limited set down.

Our Split Stone range presents an economical natural stone option that's easy to maintain, making it a great choice for both commercial and residential projects. Modular patterns can incorporate large format tiles in a cost-effective way.





Abyss



Atlantic



Endicott



Lichen



Luca

—

A selection of high resolution 3D textures is available at [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)




- 
1. Abyss used internally and externally
  2. Endicott [Hand Chipped]
  3. Luca Baguette
  4. Endicott [Hand Chipped]
-

## SIZES

---


Hand Chipped

---




Cobblestones

---




Crazy Paving

---




Filetti

---



Coping / Step Tread

---



—  
For more downloadable imagery visit [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)

<i>Imperial</i>	<i>Weight (lbs/sq ft)</i>	<i>Packing Details (ft<sup>2</sup>/crate)</i>
<b>Endicott</b>		
<b>Tiles, Hand Chipped</b>		
12"-32" x 12"-32", 1"-1 1/2"	15	161.46
<b>Tiles, Sawn</b>		
Random Length Paving Set widths 8"/12"/16"/19" Thickness 1/2"-1 3/4"	12	215
<b>Cobblestone</b>		
4" x 4", 1 1/4"-2"	20.48	86.11
Random Length 4"-8" Width 4" Thickness 1 3/4"-2" Split finish on all six sides	20.5	108
<b>Filetti</b>		
Random Length Paving Width 1 1/4"-2 1/2" Thickness 1 3/4"-3 1/8"	15	129
Random Length Baguette Width 1 1/2"-3" Thickness 1 1/4"-2 3/4" Split finish on all six sides, tumbled	18.5	140
<b>Crazy Paving</b>		
Irregular Crazy Paving 5/8"-1 1/4"	10	161.46
<b>Coping / Step Tread</b>		
Bush Hammered 13 3/4" x 24", 1"-1 3/8"	18.43	39 units

<i>Metric</i>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Endicott</b>		
<b>Tiles, Hand Chipped</b>		
300-800mm x 300-800mm, 25-40mm	75	15
<b>Tiles, Sawn</b>		
Random Length Paving Set widths 200/300/400/500mm Thickness 10-30mm	60	20
<b>Cobblestone</b>		
100x100mm, 30-50mm	100	8
Random Length 100-200mm Width 100mm Thickness 30-50mm Split finish on all six sides	100	10
<b>Filetti</b>		
Random Length Paving Width 30-60mm Thickness 30-80mm	75	12
Random Length Baguette Width 40-80mm Thickness 30-70mm Split finish on all six sides, tumbled	90	13
<b>Crazy Paving</b>		
Irregular Crazy Paving 15-30mm	50	15
<b>Coping / Step Tread</b>		
Bush Hammered 350x600mm, 25-35mm	90	39 units

*All metric measurements are accurate.  
All imperial measurements are nominal.*

Due to variance in thickness these products should be laid on a 1" wet mortar / thick set bed over a concrete slab.  
Refer to installation tips for further information.

For further information, installation tips and pricing please contact us on (855) 413 1413.



<i>Imperial</i>	<i>Weight (lbs/sq ft)</i>	<i>Packing Details (ft<sup>2</sup>/crate)</i>	<i>Metric</i>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Luca</b>			<b>Luca</b>		
<b>Tiles, Hand Chipped</b>			<b>Tiles, Hand Chipped</b>		
Random Length Paving 20"/24"/27 ½", ¾"-2"	18.43	155.00	Random Length Paving 500/600/700mm, 20-50 mm	90	14.4
<b>Cobblestone</b>			<b>Cobblestone</b>		
1 ½"-2 ½" x 1 ½"-2 ½", 1 ½"-2 ½"	22.5	118.40	40-60mm x 40-60mm, 40-60mm	110	11
4" x 4", 1 ½"-2 ½"	22.5	119.59	100x100mm, 40-60mm	110	11.11
Split finish on all six sides			Split finish on all six sides		
<b>Crazy Paving</b>			<b>Crazy Paving</b>		
Irregular Crazy Paving ¾"-1 ½"	16.39	172.22	Irregular Crazy Paving 20-40mm	80	16
<b>Filetti</b>			<b>Filetti</b>		
Random Length Paving Width 1 ½"-3 ¼" Thickness 1 ½"-3 ¼"	36.87	75.35	Random Length Paving Width 40-80mm Thickness 40-80mm	180	7
<b>Coping / Step Tread</b>			<b>Coping / Step Tread</b>		
16" x 48", 1 ¼"	6.5	30 units	406x1016mm, 30mm	33	30 units
16" x 48", 2"	11.24	15 units	406x1016mm, 50mm	55	15 units
<i>All metric measurements are accurate. All imperial measurements are nominal.</i>					

Due to variance in thickness these products should be laid on a 1" wet mortar / thick set bed over a concrete slab.  
Refer to installation tips for further information.

For further information, installation tips and pricing please contact us on (855) 413 1413.

<i>Imperial</i>	<i>Weight (lbs/sq ft)</i>	<i>Packing Details (ft<sup>2</sup>/crate)</i>
<b>Abyss, Atlantic, Lichen</b>		
<b>Tiles</b>		
7 5/8" x 7 5/8", 1/2"	6.96	476.41
7 5/8" x 16", 1/2"	6.96	439.92
16" x 16", 1/2"	6.96	475.33
16" x 24", 3/8" (Atlantic only)	5.94	573.07
16" x 24", 3/8" (excl. Atlantic)	5.94	573.07
16" x 32", 1/2"	6.96	460.37
32" x 32", 1/2"	6.96	466.08
Random Length (excl. Atlantic)		
2"-8" x 12"-32", 3/8"	5.94	107.64

<i>Metric</i>	<i>Weight (kg/m<sup>2</sup>)</i>	<i>Packing Details (m<sup>2</sup>/crate)</i>
<b>Abyss, Atlantic, Lichen</b>		
<b>Tiles</b>		
195x195mm, 12mm	34	44.26
195x400mm, 12mm	34	40.87
400x400mm, 12mm	34	44.16
400x600mm, 10mm (Atlantic only)	29	53.24
400x605mm, 10mm (excl. Atlantic)	29	53.24
400x810mm, 12mm	34	42.77
810x810mm, 12mm	34	43.3
Random Length (excl. Atlantic)		
50-200mm x 300-800mm, 10mm	29	10

*All metric measurements are accurate.  
All imperial measurements are nominal.*

Custom sizes can also be produced on request.

Given these tiles are calibrated and are relatively consistent in thickness, they can be laid with a tile adhesive / thin set over a concrete slab. Refer to installation tips for further information.

For further information, installation tips and pricing please contact us on (855) 413 1413.






## Abyss, Atlantic, Lichen

<b>32" Large Modular Pattern</b>	<i>Imperial</i>
Ratio for 107.64 sq ft	Sizes
20	A – 7 5/8" x 7 5/8"
20	B – 7 5/8" x 16"
17	C – 16" x 16"
9	D – 16" x 32"
3	E – 32" x 32"

<b>810 Large Modular Pattern</b>	<i>Metric</i>
Ratio for 10m <sup>2</sup>	Sizes
20	A – 195 x 195
20	B – 195 x 400
17	C – 400 x 400
9	D – 400 x 810
3	E – 810 x 810

*All metric measurements are accurate.  
All imperial measurements are nominal.*

This pattern can be interlocked from all sides. All tile sizes can be used separately or in varying combinations. Tile sizes have been designed to align when using a 2/8" - 3/8" grout joint. For a download of this pattern refer to our website.



For more downloadable imagery visit [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)




## Abyss and Lichen

Small Modular Pattern		<i>Imperial</i>
Ratio	Sizes	
4	A – 7 <sup>5</sup> / <sub>8</sub> " x 7 <sup>5</sup> / <sub>8</sub> "	
2	B – 7 <sup>5</sup> / <sub>8</sub> " x 16"	
4	C – 16" x 16"	
2	D – 16" x 32"	

Small Modular Pattern		<i>Metric</i>
Ratio	Sizes	
4	A – 195 x 195	
2	B – 195 x 400	
4	C – 400 x 400	
2	D – 400 x 605	

*All metric measurements are accurate.  
All imperial measurements are nominal.*

This pattern can be interlocked from all sides. All tile sizes can be used separately or in varying combinations. Tile sizes have been designed to align when using a <sup>2</sup>/<sub>8</sub>" - <sup>3</sup>/<sub>8</sub>" grout joint. For a download of this pattern refer to our website.



—  
For more downloadable imagery visit [www.ecooutdoorusa.com](http://www.ecooutdoorusa.com)